



SILAGE MIXING CHART

Directions: Add some water to the applicator tank, then add the required amount of inoculant and continue filling the tank.

- **One Tablespoon of inoculant is 10 grams.**
- When in doubt, always add more inoculant. Extra coverage will not damage the crop.
- See charts below for wagon size.
- These directions do not apply to Pro-Siler or Dohrmann Applicators.

Any Questions?
Call: 920-251-5916
renee@totalcrops.com

6 Ton Wagon Loads	
Number of Loads	Tablespoons of Inoculant
5	1½
10	3
15	4½
20	6
25	7½

8 Ton Wagon Loads	
Number of Loads	Tablespoons of Inoculant
5	2
10	4
15	6
20	8
25	10

10 Ton Wagon Loads	
Number of Loads	Tablespoons of Inoculant
5	2½
10	5
15	7½
20	10
25	12½

12 Ton Wagon Loads	
Number of Loads	Tablespoons of Inoculant
5	3
10	6
15	9
20	12
25	15

- Diluting inoculant in a larger volume of water ensures maximum coverage.
- Do not use hot or chlorinated water.
- Use only FLOOD jets. Use NO SCREENS.
- Use any leftover mixture within 48 hours after mixing.
- Run clear water through applicator after use.
- Store package in a cool dry area.
- Triple rinse applicators when switching between products.